

Patient Information

First Name _____ Last Name _____ Male Female

MM | DD | YYYY

Date Of Birth _____ Home Phone _____ Other Phone _____

E-Mail _____ OHIP _____ Version Code _____

Patient Mobility Wheelchair Fall Risk Yes No

Address _____

Book your appointment



X-Ray (walk-in only)


HEAD & NECK

- Skull
- Sinuses (Not Covered By OHIP)
- Facial Bones
- Nose
- Soft Tissue Neck
- Adenoids
- Orbits
- Eye For Foreign Body (Pre-MRI)
- TMJ
- Mandible

CHEST

- Chest PA & LAT
- Chest PA (Immigration)
- Ribs (Includes PA Chest)
 - R L B
- Stemo-Clavicular Jts
- Sternum
- Other _____

LOWER EXTREMITIES

- R L Hip
- Femur
- Knee
- Tib. & Fib.
- Ankle
- Foot
- Heel
- Toe: 

SPINE & PELVIC

- Cervical Spine
- Dorsal Spine
- Lumbar Spine
- Scoliosis
- Sacrum / Coccyx
- Pelvis
- SI Joints

UPPER EXTREMITIES

- R L Shoulder
- Humerus
- Elbow
- Forearm
- Clavicle
- A.C. Joints
- Scapula
- Wrist
- Scaphoid
- Hand
- Finger: 

ABDOMEN

- Single / KUB
- Acute (Includes PA Chest)

Ultrasound (by appointment)

GENERAL

- Abdomen
- Abdomen Wall
- Urinary Tract / KUB
- Liver Elastography
- Female Pelvis
- Transvaginal (If Needed)
- Male Pelvis
- Transrectal
- Inguinal Canal / Groin
 - R L
- Others
- Liver Shear Wave Elastography

SMALL PARTS

- Thyroid
- Submandibular Glands
- Parotid Glands
- Testes / Scrotum
- Penile
- Soft Tissue / Lump (Location) _____

OBSTETRICAL

- OBS (Below 16 Weeks)
- OBS (Above 16 Weeks)
- OBS (High Risk / Problem)
- OBS (Multiple Gestation)
- Nuchal Translucency
- LMP (DD/MM/YY): _____

MUSCULOSKELETAL

- R L Shoulder
- Forearm
- Elbow
- Arm
- Wrist & Hand
- Hip Joint / Greater Trochanter
- Thigh / Hamstring
- Knee / Pop Fossa
- Leg / Calf
- Ankle (Medial / Lateral / Anterior)
- Achilles Tendon / Plantar Fascia
- Foot
- Other Muscle Area _____

VASCULAR

- Carotids
- Abdominal Aorta / AAA
- Arterial Upper Limb
- Arterial Lower Limb
- Venous Upper Limb DVT
- Venous Lower Limb DVT
- Lower Limb Deep Vein Insufficiency
- Lower Limb Deep Superficial Vein Insufficiency
- Renal Doppler

Breast Imaging (by appointment)

- OBSP (Routine Screening Mammogram)
- Screening Mammogram
- Diagnostic Mammogram
- Breast Elastography
- Breast Ultrasound
- R L R L



Draw palpable lump on diagram

Clinical History Requested

(requisition will be rejected without clinical history)

PRINT clearly

Bone Density (BMD) (by appointment)

LOW RISK

- 1st (First BMD In Ontario) = Baseline
- 2nd BMD (3 Years After Baseline)
- 3rd And Subsequent BMD Every 60 Months

Last Study Date _____
Attach Previous Report

HIGH RISK

- Once Every 12 Months
- Body Composition Test

Cardiology (Cardiac tests) (by app-t)

- Cardiac Ultrasound (Echocardiogram)
- Holter Monitor 48h / 72h
- 14 Day Event Monitor

Consultation (by appointment)

- Pain Management
- Vascular
- Breast

Physician Information

Doctor's Signature _____ Doctor's Fax Number _____ Doctor's Billing Number _____ CC _____ M.D. _____

PLEASE SEE REVERSE SIDE FOR THE CLINIC NEAREST YOU. PLEASE BRING VALID HEALTH CARD.
24 hour notice required to cancel appointment otherwise a \$75 charge will be billed to the patient

Powered by **MEDBLU**

LOCATIONS

Ottawa East

URGENT CARE IMAGING

1220 Place D'Orleans, Orleans, K1C K3

ORLEANS IMAGING

2003 St. Joseph Blvd., Orleans, K1C 1E5

Ottawa South

HUNT CLUB IMAGING

1181 Hunt Club Rd. #106, Ottawa, K1V 8S4

BARRHAVEN IMAGING

605 Longfields Dr. #8, Barrhaven, K2J 6B7

RIDEAU VALLEY IMAGING

1221 Greenbank Rd, Nepean, K2J 5V7

Ottawa Central

NEPEAN IMAGING

1 Centrepointe, Unit 106, Nepean, K2G 6E2

BROADVIEW X-RAY

770 Broadview Ave. B2, Ottawa, K2A 3Z3

PHENIX IMAGING

595 Montreal Rd, # 205, Ottawa, K1K 4K4

OTTAWA MISSION

55 Daly Ave, Ottawa, K1N 6E3

CNIH

303 Dalhousie St., Ottawa, K1N7E8

CHARLOTTE IMAGING

302- 168 Charlotte St., Ottawa, K1N 8K6

Ottawa West

KANATA IMAGING

150 Katimavik Rd # 122, Kanata, K2L 2N2

WESTEND IMAGING

80 Michael Cowpland Dr, Kanata, K2M 1P6



Please check our [website](#) for more informations about our locations

PLEASE ARRIVE 30 MINUTES BEFORE YOUR APPOINTMENT

VEUILLEZ ARRIVER 30 MINUTES AVANT VOTRE RENDEZ-VOUS

Preparations and instructions

GENERAL PREPARATIONS FOR ALL EXAMS

Wear loose fitting clothing without buttons (sleeveless shirt / muscle shirt / shorts / joggers). Very important for X-Ray and Musculoskeletal ultrasound.

ABDOMEN ULTRASOUND

No eating, drinking, smoking or chewing gum 8 hours prior appointment.
Diabetic patients can have a plain toast and sips of water an hour before the exam.
Sips of water can be taken for medication purposes.
Eating and drinking reduces exam sensitivity.

OBSTETRICAL/PELVIS ULTRASOUND

Drink 1L of water, TO BE COMPLETED 1 hour prior to appointment time.
DO NOT URINATE.

TRANSRECTAL ULTRASOUND

1. Clean the rectum by applying a fleet enema or glycerin suppository 2 hours before appointment.
2. Drink 1L of water, TO BE COMPLETED 1 hour prior to appointment time. DO NOT URINATE.

RENAL ULTRASOUND

Drink 500 ml of water 1 hour prior to appointment time.

X-RAY / VASCULAR ULTRASOUND

Loose fit clothing.

BONE DENSITY

1. Bring a LIST of your medications
2. Do not take bone medication, calcium or multivitamin supplements 24 hours prior to the appointment.
3. Loose fit clothing without zippers, or metal attachments

MAMMOGRAPHY

Remove any deodorant, powder, perfume prior to appointment.

Préparations et consignes

PRÉPARATION GÉNÉRALE À TOUS LES EXAMENS

Portez des vêtements amples et sans bouton (chemise sans manche/pantalons de jogging). Cela est très important pour les radiographies et les échographies musculosquelettiques.

ÉCHOGRAPHIE ABDOMINALE

Ne rien manger 8 heures avant l'examen, ne pas mâcher de gomme ni fumer.
Les patients diabétiques peuvent prendre une tranche de pain nature et quelques gorgées d'eau 1 heure avant l'examen. Des gorgées d'eau peuvent être prises à des fins médicamenteuses. Cependant, il est important de noter que manger et boire peuvent réduire la sensibilité de l'examen.

ÉCHOGRAPHIE DU BASSIN (OBSTÉTRIQUE OU GYNÉCOLOGIQUE)

Boire 1 litre d'eau 1 heure avant l'examen. Ne pas uriner.

ÉCHOGRAPHIE TRANSRECTALE

1. Prendre un Fleet Enema ou suppositoire glycérine 2 heures avant l'examen.
2. Boire 20oz d'eau une heure avant l'examen. Ne pas uriner.

ÉCHOGRAPHIE RÉNALE

Boire 500 ml d'eau 1 heure avant l'examen.

RAYONS X / ÉCHOGRAPHIE VASCULAIRE

Portez des vêtements amples et sans boutons (chemise sans manche/pantalons de jogging).

DENSITOMÈTRE OSSEUX

1. Veuillez apporter vos médicaments.
2. Ne pas prendre des suppléments de calcium 24 heures avant l'examen.
3. Les patients sont encouragés à porter des vêtements sans fermetures éclair ou attaches métalliques.

MAMMOGRAPHIE

Ne pas mettre de parfum, déodorant, ni poudre.

LOCATIONS

Ottawa East

URGENT CARE IMAGING

1220 Place D'Orleans, Orleans, K1C K3

ORLEANS IMAGING

2003 St. Joseph Blvd., Orleans, K1C 1E5

Ottawa South

HUNT CLUB IMAGING

1181 Hunt Club Rd. #106, Ottawa, K1V 8S4

BARRHAVEN IMAGING

605 Longfields Dr. #8, Barrhaven, K2J 6B7

RIDEAU VALLEY IMAGING

1221 Greenbank Rd, Nepean, K2J 5V7

Ottawa Central

NEPEAN IMAGING

1 Centrepointe, Unit 106, Nepean, K2G 6E2

BROADVIEW X-RAY

770 Broadview Ave. B2, Ottawa, K2A 3Z3

PHENIX IMAGING

595 Montreal Rd, # 205, Ottawa, K1K 4K4

OTTAWA MISSION

55 Daly Ave, Ottawa, K1N 6E3

CNIH

303 Dalhousie St., Ottawa, K1N7E8

CHARLOTTE IMAGING

302- 168 Charlotte St., Ottawa, K1N 8K6

Ottawa West

KANATA IMAGING

150 Katimavik Rd # 122, Kanata, K2L 2N2

WESTEND IMAGING

80 Michael Cowpland Dr, Kanata, K2M 1P6



Please check our [website](#) for more informations about our locations

PLEASE ARRIVE 30 MINUTES BEFORE YOUR APPOINTMENT

VEUILLEZ ARRIVER 30 MINUTES AVANT VOTRE RENDEZ-VOUS

Preparations and instructions

GENERAL PREPARATIONS FOR ALL EXAMS

Wear loose fitting clothing without buttons (sleeveless shirt / muscle shirt / shorts / joggers). Very important for X-Ray and Musculoskeletal ultrasound.

ABDOMEN ULTRASOUND

No eating, drinking, smoking or chewing gum 8 hours prior appointment.
Diabetic patients can have a plain toast and sips of water an hour before the exam.
Sips of water can be taken for medication purposes.
Eating and drinking reduces exam sensitivity.

OBSTETRICAL/PELVIS ULTRASOUND

Drink 1L of water, TO BE COMPLETED 1 hour prior to appointment time.
DO NOT URINATE.

TRANSRECTAL ULTRASOUND

1. Clean the rectum by applying a fleet enema or glycerin suppository 2 hours before appointment.
2. Drink 1L of water, TO BE COMPLETED 1 hour prior to appointment time. DO NOT URINATE.

RENAL ULTRASOUND

Drink 500 ml of water 1 hour prior to appointment time.

X-RAY / VASCULAR ULTRASOUND

Loose fit clothing.

BONE DENSITY

1. Bring a LIST of your medications
2. Do not take bone medication, calcium or multivitamin supplements 24 hours prior to the appointment.
3. Loose fit clothing without zippers, or metal attachments

MAMMOGRAPHY

Remove any deodorant, powder, perfume prior to appointment.

Préparations et consignes

PRÉPARATION GÉNÉRALE À TOUS LES EXAMENS

Portez des vêtements amples et sans bouton (chemise sans manche/pantalons de jogging). Cela est très important pour les radiographies et les échographies musculosquelettiques.

ÉCHOGRAPHIE ABDOMINALE

Ne rien manger 8 heures avant l'examen, ne pas mâcher de gomme ni fumer.
Les patients diabétiques peuvent prendre une tranche de pain nature et quelques gorgées d'eau 1 heure avant l'examen. Des gorgées d'eau peuvent être prises à des fins médicamenteuses. Cependant, il est important de noter que manger et boire peuvent réduire la sensibilité de l'examen.

ÉCHOGRAPHIE DU BASSIN (OBSTÉTRIQUE OU GYNÉCOLOGIQUE)

Boire 1 litre d'eau 1 heure avant l'examen. Ne pas uriner.

ÉCHOGRAPHIE TRANSRECTALE

1. Prendre un Fleet Enema ou suppositoire glycérine 2 heures avant l'examen.
2. Boire 20oz d'eau une heure avant l'examen. Ne pas uriner.

ÉCHOGRAPHIE RÉNALE

Boire 500 ml d'eau 1 heure avant l'examen.

RAYONS X / ÉCHOGRAPHIE VASCULAIRE

Portez des vêtements amples et sans boutons (chemise sans manche/pantalons de jogging).

DENSITOMÈTRE OSSEUX

1. Veuillez apporter vos médicaments.
2. Ne pas prendre des suppléments de calcium 24 heures avant l'examen.
3. Les patients sont encouragés à porter des vêtements sans fermetures éclair ou attaches métalliques.

MAMMOGRAPHIE

Ne pas mettre de parfum, déodorant, ni poudre.